

MS329500

TRAY CLEANER

Page 1 of 3

## MATERIAL SAFETY DATA SHEET

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

MANUFACTURER: SUPPLIER  
 ST. AMERICA, INC.  
 377 West 127th St. 60658  
 Chicago, Illinois 60658  
 Telephone: (708) 587-0900  
 Hours Mon.-Fri.: 8:00 a.m.-5:00 p.m. C.S.T.  
 Transportation Emergency No. 800-424-9300

COMMON NAME: TRAY CLEANER

Chemical Name: N.A.

PRODUCT USE: Dental tray cleaning solution

The following information is provided with regard to the toxicity and hazards of the pure components present.

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT AND C.A.S.	EXPOSURE LIMITS	LD50/LC50	4
Sodium Carbonate 497-19-8	N.E.	LD50=4 g/kg LC50=2180 µg/m3	30-80
Sodium Metasilicate 6834-92-0	N.E.	LD50=1.46 g/kg	15-25
Sodium Dodecylbenzene Sulfonate 25155-30-0	N.E.	LD50=2g/kg (oral mouse)	15-25

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT:	N.A.	SPECIFIC GRAVITY:	N.E.
VAPOR PRESSURE:	N.E.	MELTING POINT:	N.E.
VAPOR DENSITY:	N.E.	EVAPORATION RATE:	N.E.
SOLUBILITY IN WATER:	N.E.	ODOR THRESHOLD:	N.E.

COEFFICIENT OF OIL/WATER DISTRIBUTION: N.E.

APPEARANCE AND ODOR: Orange free flowing powder

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: N.E. FLAMMABLE LIMITS: N.E.

EXTINGUISHING MEDIA: Use water spray, dry chemical or carbon dioxide.

SPECIAL FIRE FIGHTING PROCEDURES: Use full face, self-contained breathing apparatus and impervious protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: N.E.

HAZARDOUS COMBUSTION PRODUCTS: Carbon Dioxide and Carbon Monoxide

MS329500

TRAY CLEANER

Page 2 of 3

SECTION 5 - REACTIVITY DATA

STABILITY:	STABLE: X	UNSTABLE:	N.E.
POLYMERIZATION:	WILL NOT OCCUR: X	WILL OCCUR:	N.E.

CONDITIONS TO AVOID: High heat, moisture and strong acids and oxidizers

INCOMPATIBILITY (MATERIALS TO AVOID): Contains Sodium Carbonate. Will react with Aluminum, Phosphorous Pentoxide, Hydrated lime to form caustic soda, and reducing sugars to form Carbon Monoxide. Sodium dodecylbenzene sulfonate is incompatible with strong oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: N.E.

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

MUTAGENIC AFFECTS:	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS:		X						
TERATOGENIC AFFECTS:		X						
REPRODUCTIVE TOXIN:		X						
SENSITIZER:		X						

ROUTES OF ENTRY: INHALATION X SKIN X INGESTION X

HEALTH HAZARD: (ACUTE AND CHRONIC): Ingestion may produce corrosion of the gastrointestinal tract, vomiting, and diarrhea. Dust will cause irritation of skin, eyes, and lungs. Sodium Metasilicate has been shown to be corrosive to rabbit skin in 24 hour exposure. It is non-corrosive if dry; corrosive if wet in short term.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: N.E.

CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N.E.

## EMERGENCY FIRST AID PROCEDURES:

SKIN: Wash skin with soap and water.

EYES: Immediately flush eyes with water. Seek medical attention if irritation develops.

INGESTION: Do not induce vomiting. Give several glasses of water. If vomiting does occur, give fluids again. Seek medical attention.

INHALATION: Remove victim to fresh air. Seek medical attention if irritation develops.

